

**PUBLIC SERVICE COMMISSION OF SOUTH CAROLINA  
COMMISSION DIRECTIVE**

ADMINISTRATIVE MATTER

☐

DATE

October 20, 2010

MOTOR CARRIER MATTER

☐

DOCKET NO.

2010-238-E

UTILITIES MATTER

☒

ORDER NO.

**SUBJECT:**

DOCKET NO. 2010-238-E - Application of South Carolina Electric & Gas Company for a Certificate of Environmental Compatibility and Public Convenience and Necessity for the Construction and Operation of a 230 kV Transmission Line from Its Denny Terrace Transmission Substation to Its Pineland Transmission Substation - A Hearing was Held on this Matter on September 21, 2010. This Matter is Ready for Final Disposition.

**COMMISSION ACTION:**

Move that this Commission finds in accordance with S.C. Code § 58-33-160 of the Siting Act that SCE&G has demonstrated that: (a) the proposed 230 kV transmission line, which will run from its existing Denny Terrace Transmission Substation to its existing Pineland Substation, will serve the need to increase reliability for SCE&G customers in the Columbia northeast area and the areas surrounding the Interstate Highway 77 corridor and ensure that SCE&G remains in compliance with applicable NERC standards; (b) the probable environmental impact of the proposed facility will be minimal; (c) any such minimal impact is justified, considering the state of available technology and the nature and economics of the various alternatives and other pertinent considerations; (d) the proposed facility will serve the interests of system economy and reliability; and (e) there is reasonable assurance that the proposed facility will conform to applicable State and local laws and regulations. Therefore, I also move that this Commission conclude that public convenience and necessity require the construction of the proposed Denny Terrace-Pineland 230 kV Transmission Line and that adoption of the parties' Stipulation is in the best interests of the parties and the State of South Carolina.

PRESIDING: HowardSESSION: RegularTIME: 2:30 p.m.

	MOTION	YES	NO	OTHER	
FLEMING	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<u>Absent</u>	Sick Leave
HALL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
HAMILTON	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
HOWARD	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
MITCHELL	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
WHITFIELD	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		
WRIGHT	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>		

(SEAL)

RECORDED BY: J. Schmieding

